




PRODUCT CATALOGUE

SELF ADHESIVE ARCHITECTURAL INTERIOR FILM

*Wrap Up in Comfort,
Unwrap Your Style*




Natural Finish



EB 825

1.22m x 50 m




IT 307

1.22m x 50 m



CNW 648

1.22m x 50 m



IT 058

1.22m x 50 m



IE 057

1.22m x 50 m




IT 256

1.22m x 50 m



IT 406

1.22m x 50 m




IT 124

1.22m x 50 m



CNW 642

1.22m x 50 m




1.22m x 50 m



IT 127

1.22m x 50 m




CNW 631

1.22m x 50 m



IT 403

1.22m x 50 m



IT 339

1.22m x 50 m



IT 424

1.22m x 50 m



IT 232

1.22m x 50 m




IT 614

1.22m x 50 m




IT 422

1.22m x 50 m




IT 255

1.22m x 50 m




1.22m x 50 m



IT 311

1.22m x 50 m




IT 205

1.22m x 50 m



IT 310

1.22m x 50 m




IT 141

1.22m x 50 m



IT 229

1.22m x 50 m



CNW 645

1.22m x 50 m



IT 337

1.22m x 50 m




IT 251

1.22m x 50 m




IPW 836

1.22m x 50 m



1.22m x 50 m



CNW 646

1.22m x 50 m



IPW 506

1.22m x 50 m




IT 235

1.22m x 50 m



IT 338

1.22m x 50 m



IT 231

1.22m x 50 m



CNW 644

1.22m x 50 m



IT 250

1.22m x 50 m




IT 155

1.22m x 50 m



IT 601


1.22m x 50 m




1.22m x 50 m




made in
korea





IPW 558

1.22m x 50 m



CR 300

1.22m x 50 m



SIP 656

1.22m x 50 m



IPW 557

1.22m x 50 m




IPW 559

1.22m x 50 m




CR 500

1.22m x 50 m



SIP 653

1.22m x 50 m



PCR 512

1.22m x 50 m



PCR 514

1.22m x 50 m




SIP 650

1.22m x 50 m



IP 413-9

1.22m x 50 m



IP 401

1.22m x 50 m




IP 413-6

1.22m x 50 m



IP 413-7

1.22m x 50 m



IP 415

1.22m x 50 m



IE 063

1.22m x 50 m




IE 083

1.22m x 50 m



IPW 554

1.22m x 50 m




IPW 561

1.22m x 50 m




IPW 560

1.22m x 50 m



IM 912-P4

1.22m x 50 m



IPH 611

1.22m x 50 m



IM 912-1

1.22m x 50 m



IM 912-2

1.22m x 50 m



IPH 615

1.22m x 50 m



IPH 612

1.22m x 50 m



IPH 618

1.22m x 50 m




IPH 617

1.22m x 50 m



IM 912-P3

1.22m x 50 m




1.22m x 50 m

METALIC - GLITTER

www.xesstrading.com

CATALOGUE

info@xesstrading.com



ITP 5000

1m x 25 m



IM 912-P2

1.22m x 50 m



IM 912-P1

1.22m x 50 m




IM 912-P5

1.22m x 50 m



P 01

1.22m x 30 m



P 11

1.22m x 30 m



P 09

1.22m x 30 m



P 04

1.22m x 30 m



P 12

1.22m x 30 m



P 13

1.22m x 30 m



SD 999

1.22m x 50 m



SD 959

1.22m x 50 m




SD 937

1.22m x 50 m



SD 903

1.22m x 50 m



SD 917

1.22m x 50 m



SD 996

1.22m x 50 m



SD 982

1.22m x 50 m



SD 995

1.22m x 50 m



SD 993

1.22m x 50 m



SD 899

1.22m x 50 m



SD 926

1.22m x 50 m



SD 929

1.22m x 50 m




SD 898

1.22m x 50 m



SD 901

1.22m x 50 m




SM 01

1.22m x 50 m




IH 706


1.22m x 50 m




1.22m x 50 m




1.22m x 50 m




1.22m x 50 m



1.22m x 50 m




IH 715 1.22m x 50 m



SM 06 1.22m x 50 m




SD 908 1.22m x 50 m




SD 986 1.22m x 50 m



SD 928 1.22m x 50 m



SD 984 1.22m x 50 m




SD 985 1.22m x 50 m



SD 918 1.22m x 50 m




SD 804 1.22m x 50 m




SD 984 1.22m x 50 m




SD 882 1.22m x 50 m



SD 998 1.22m x 50 m



SD 983 1.22m x 50 m




SD 984 1.22m x 50 m



SD 841 1.22m x 50 m



SD 881 1.22m x 50 m




SD 894 1.22m x 50 m



SD 872 1.22m x 50 m



SD 840 1.22m x 50 m




SD 873 1.22m x 50 m



ITP 302

1m x 50 m



ITP 522

1m x 50 m



ITP 402

1m x 50 m



ITP 311

1m x 50 m




ITP 311-1

1m x 50 m



ITP 401

1m x 50 m




ITP 401-1

1m x 50 m



ITP 403

1m x 50 m




AR 13

1m x 50 m



AR 14

1m x 50 m



AR 17

1m x 50 m





AR 16

1m x 50 m



AR 12

1m x 50 m



TECHNICAL INFORMATION

Product Name : INTERIOR FILM Brand Name : KOINTEC

1. Production Description :


These are embossed monomeric calendared PVC film and Permanent adhesive.

It is designed for Indoor like the wall decoration purpose which is used for department store, Super market, school, hospital, restaurant, other commercial shop ,etc.

2. Application :

Indoor Decoration, Remodeling Interior

3. Film Sectional diagram:



4. Performance & Physical Data

- Surface finish : Various patterns (It is depend on the model name)
- Thickness (film only) : $\pm 200\mu\text{m}$ according to the patterns and embossing
- Tensile strength : 60 N/10mm (length, KST 1028 : 2009)
35 N/10mm (width, KST 1028 : 2009)
- Elongation : 220% (length, KST 1028 : 2009)
110% (width, KST 1028 : 2009)
- Application temperature : 10°C to 40°C (on clean and dry surfaces)
- Service temperature : -15°C to 70°C
- Storage : It is recommended to store in closed packaging at a temperature of 15°C to 30°C and humidity range of 45% to 60%.
- Dimensional stability : max. 2mm shrinkage (70°C x 48hr)
- Release paper : Single PE coated paper 120g
- Roll size : 1230mm X 50m
- Adhesive : Clear Permanent /Acrylic
- Adhesive strength : 8.0N/10mm (KST 1028 : 2009)

5. Storage:

- Shelf life : Apply the products within 2years which is sealed with the carton from factory in proper temperature
- Storage : It is recommended to store in closed packaging at a temperature of 15°C to 30°C
Keep in the proper temperature and dry area, away from direct sunlight and humidity
- Warranty : 3years * In case of properly applications with the technics and optimal indoor temperature & avoid from UV sunlight, heat, high humid+moisture area

6. Remarks and Sales conditions :

These technical information and statements made by Kointec Inc. are based on tests to be reliable and the accuracy is not guaranteed.

The seller and manufacturer are only liable for the identified and proven defective quantities.

All material should be tested by purchaser to determine final suitability.

7. Before use the vinyl:

- Dry for at least 2days after printing it prior to application.
- Avoid any factor like dust, dirty, humid etc from the application surface & affecting its quality.
- Test the vinyl before actual application to obtain a guaranteed level of quality.
- When they want to install the product to MDF or any other wall for the strong adhesion, please use the additional primer adhesive before installation.

AURORA FILMS

Holographic

At Xess Trading Co. LLC, we are dedicated to bringing innovation and elegance to your spaces. Our premium self-adhesive PVC interior films offer unmatched quality and exclusive patterns to transform any environment.

Best Quality Product - Best Quality Product - Best Quality Product

**SELF ADHESIVE PVC
INTERIOR FILMS**

Xess Trading Co. LLC
No 4, 10, 20A Street, Al Marabea Road,
Al Qouz Ind 4, Dubai, United Arab Emirates
Email :info@xesstrading.com T : +971 4 2216205

 **+971 52 456 9900 | +971 52 784 4188**